Transportation
Asset Management

Roads and Sidewalks in St. Albert

Date August 12, 2019

Presented by:

Brett Newstead P.Eng, M.Sc, PMP

Transportation Infrastructure Engineer City of St. Albert



Overview

- Introduction
- Pavements
- Sidewalks
- Close








Introduction

- City of St. Albert Major Transportation Infrastructure:
 - Roads (~900 Lane km's)
 - Sidewalks (450 CL kms)
 - Trails (70 CL kms)
 - Bridges (22)
 - Parking lots (41)



Introduction

 St. Albert used to publish its infrastructure report in local news papers (2004)







Introduction

- This presentation will review St. Albert's experience with 2 systems
 - Pavement Management
 - Sidewalk/Trail Management









- The City maintains several road asset types
 - Highway
 - Arterial
 - Collector
 - Local
 - Lanes/Parking lots



- When road work commences, it is typically to improve a combination of the following
 - Surface Regularity (i.e. smoothness)
 - Appearance
 - Water Drainage
 - Durability
 - Resistance to Rutting
 - Resistance to Cracking
 - Skid Resistance
 - Noise Reduction


What Residents Most Notice





The City has a consultant collect data across

the City in thirds







Quality Metrics

Strength

+

Bumpiness

+

Cracking/Defects

=

Reported Quality

SAI – Structural Adequacy Index

+

RCI – Ride Condition Index

+

SDI – Surface Distress Index

=

PQI – Pavement Quality Index





St. Albert Historic Network PQI 1995-2018







For comparison, the Alberta Pavement
 Managers User Group conducted a voluntary
 survey of pavement indices across the
 province


Alberta Provincial Pavement Comparators [1]

Metric	PQI	RCI	SDI	SAI
Average	64.9	51.7	65.3	66.7
Median	63.9	50.7	64	63.6






Pavement Network Status







Pavement Network Status




	PQI	SDI	RCI	SAI
NHS	79.2	80.9	67.8	78.3
Arterial	76.6	77.4	63	88.7
Collector	80.7	79.8	60.6	89.4
Local	78.5	78.9	56.5	88





Pavement Network Status








Network Remaining Service Life Distribution


RSL(22.5)







Network PQI Prediction (Do-Nothing)







- From 2008 to 2015, the city invested heavily in 3 major treatments
 - Mill & Inlay (Formerly Mill & Overlay)
 - Where a specified depth of asphalt is removed and replaced
 - Reconstruction
 - Complete road structure is replaced
 - Crack Sealing
 - Where cracks are sealed
- Additionally, new developments were built to better engineered specifications






- After 2015, the City began using new asphalt technologies and by 2017 has split the programs into 3 categories
 - Preservation
 - Designed to maintain the current road's quality and extend the time until the next treatment.
 - Restoration
 - Restoration treatments are used when the road's quality has deteriorated past the point of preservation
 - Rehabilitation
 - Rehabilitation is used when the road is close or past the end of its lifecycle.
 When this occurs, there are very few other options except to reconstruct the full road.








St. Albert Treatment Chart [2]












- Moving towards a preservation focused program means employing more microsurfacing
- Most residents are unfamiliar with microsurfacing and why the City uses it
 - This unfamiliarity is consistent across the province









- So why is the City using microsurfacing?
 - Cost efficient
 - Saves future funds
 - Extends pavement life
 - Increases friction
 - Decreases tire noise
 - Maintains current levels of service longer








Microsurfacing on Bellerose Drive












- In 2019, the City microsurfaced Bellerose
 Drive and received several questions about its cost effectiveness.
- To address this, a Net Present Value analysis was done comparing the use of microsurfacing to traditional mill and inlay strategies





Life Cycle Comparison of Microsurfacing to Traditional Mill & Inlay Scenario using NPV method on Bellerose Drive over 25 years







Pavement Materials


- In conjunction with the City's improvements to it's pavement management approach; the City began researching additional properties associated with the new materials:
 - Stone Mastic Asphalt (SMA)
 - Microsurfacing
 - High Traffic (HT) Asphalt



Pavement Test Section

These materials were reviewed in a test

section on SAT







Pavement Test Section

Aged Asphalt



HT Asphalt



SMA Asphalt



Microsurfacing







Pavement Test Section

- What has the City so far learned from this test section?
 - Microsurfacing reduces tire pavement noise by 2.7 dBA and increases friction/skid resistance by as much as 15%
 - SMA is very durable and has anti-stripping (pot hole prevention) properties and shows the longest life expectancy
 - HT asphalt provides ease of installation and middle ground of costs between materials



Closing

- The City's pavement network is in a good position to take advantage of preservation practices
- New materials like microsurfacing are new to the community and residents will have questions
- The City is investing in stronger, more durable asphalts when considering restoration/rehab programs
- The City is engaged in ongoing research and iterative improvement to make best use of road technologies



Sidewalk Management







Sidewalks

- Sidewalks and Trails in St. Albert
 - ~450 CL kms of Sidewalk
 - ~70 CL kms of trails
- Maintenance and repairs are shared between Public Works and Engineering
 - Condition rating and capital planning is done by Engineering



Sidewalks

• The City of St. Albert began doing complete assessments of it's sidewalks in 2011.







2013 Assessment

- In 2013, the City opted to develop their own internal guidelines and data collection methods
 - Would help develop consistency in rating across organization
 - Create an in-house knowledge set
 - Done using previously purchased "off the shelf" technology and software



Sidewalks

- This assessment had two main phases:
 - Research and develop the criteria
 - Assess the network before end of summer
- Was able to complete the work by August 2013



Sidewalks - Deficiencies

Distortions

 Distortions are when the slabs have begun to move independently from one another. This may include joint displacements, heaves or dips, crack displacements or tree roots.

Defects

Defects are when loss of material from the slabs has been noticed. This
may include potholes, popups, edge loss or presence of utilities (such as
valves).

Surface Conditions

• Surface conditions are when an issue is affecting the walking surface itself. These include spalling, vegetation cover or pooling of water.

Cracking

 Cracking is when a slab has broken or failed. The types of cracks that were assessed were longitudinal, transverse and corner cracks.





Sidewalks - Conditions

Sidewalk Assessment Condition Ratings

Condition Rating	Description		
1	New and uniform		
2	Slightly used, weathered, fairly uniform		
3	Issues may be present, aged, weathered – acceptable state		
3.5	Imminent Repairs – acceptable state		
4	Repairs required in section		
5	Priority repairs in section		





Sidewalks




Sample Photo of Data Collector (2013)





Sidewalks – 2013 Program

- Foundation of current program
- Trimble GPS device
- Condition rating assigned to each street



2013 Sidewalk Assessment Condition Rated Street





Sidewalks – Sidewalk Update

 In 2016 the City opted to do a full reset of it's data with lessons learned from the 2013 data collection





Sidewalks – Sidewalk Update

Comparison between 2013 and 2016-18 sidewalk assessment programs

2013	2016-2018	
1 Year	3 Years	
Quick review of entire city	Detailed analysis	
Less data	More data	
Entire street given condition ratings	10 m segments given condition ratings	
Trimble GPS device	iPad Mini 4	






Sidewalks – Sidewalk Update

- To accomplish these goals, the City invested in new technology for GIS
 - Split City into 1/3 segments
 - Used ESRI Collector App
 - Purchased an iPad Mini to do assessment



Sidewalks - App





Overview of Sidewalk Condition Rating in St. Albert





Sidewalks - App





Screenshot of ArcGIS Collector App





Sidewalks - Analysis

Analysis

- 10 meter sidewalk segments (6 panels)
- Points grouped by nearest 10 meter segment
- ArcMap points transferred to Excel
- Algorithms condition rate (1-5) the segments



Sidewalks - Analysis



Legend: -1
-2
-3
-3.5
-4
-5





How much data was collected?

Summary of Sidewalk Points Collected Per Year

Year	Est. Kms Walked	Data Points Collected	Neighborhoods Rated	Average Points per km
2016	127	32,000	7	252
2017	167	56,000	5	335
2018	133	47,000	7	353
Total	427	135,000	19	Average: 314






- The following are sample results of what the City can now export in detail:
 - Overall Neighborhood Statistics
 - Overall City Condition Map
 - Trip Hazard Maps






Sample Neighborhood










Condition rating of St. Albert with parcels




Condition rating of St. Albert excluding parcels





- Number of shaveable trip hazards:
 1013
- Number of trip hazards: 2035
- Percentage of shave-able trip hazards: 49.8%



Trip hazards in a neighborhood































Close

- The City of St. Albert has built it's own internal rating system using GIS
- While the results are promising and provide condition data around the network more work is needed in the following areas:
 - Continued ground truthing and calibration
 - Continuous accumulation of work history data
 - Development and Implementation of a "priority" index to complement and direct condition data



Questions?

Thank you for your time.







References

- [1] "A Study on Pavement Network Condition and Reporting in the Province of Alberta Through a Questionnaire Survey", *Newstead, Hashemian, Bayat*, TAC, Regina SK, 2018
- [2] City of St. Albert, "Road Treatments", 7 June 2019 [Online], Available: https://stalbert.ca/dev/construction/transportation/road-repairs/
- [3] Hein, D. 2008. Life-Cycle Costing for Innovative Pavement Preservation Treatments—How to Know if the Investment Is Worth It. 2008 Pavement Rehabilitation and Preservation Workshop. Ontario Good Roads Association, Ontario



